

# cClassId

Es un acronimo de la clase de cada control, se utiliza de manera automática para crear el [cld](#) en caso de que no se le asigne antes del Create().

cClassId	Clase	Versión
fun	wAddFunction	0.1
abw	wArrayBrowse	0.1
bev	wBevel	0.1
btn	wButton	0.1
chp	wChips	0.2
crd	wCard	0.1
cbx	wCheckBox	0.1
cmb	wComboBox	0.1
dpk	wDatePicker	0.1
edt	wEdit	0.1
fod	wFileOpenImageDlg	0.1
fbt	wFloatingBtn	0.1
frm	wForm	0.1
img	wImage	0.1
iabw	wItemColBrowse	0.1
icmb	wItemComboBox	0.1
ifxi	wFlexItem	0.1
ifbt	wZItemFloatBtn	0.1
ilvw	wItemListview	0.1
iplx	wItemParallax	0.1
isnv	wItemSideNav	0.1
isld	wItemSlider	0.1
lbl	wLabel	0.1
lvw	wListView	0.1
mga	wMsgAlert	0.1
pnl	wPanel	0.1
plx	wParallax	0.1
qcr	wQrCode	0.4
rmu	wRadioMenu	0.1
rng	wRange	0.1
rbr	wRebar	0.1
sep	wSeparator	0.1
snv	wSideNav	0.1
sld	wSlider	0.1
sbt	wSplitButton	0.1
swt	wSwitch	0.1
tpk	wTimePicker	0.1
toa	wToast	0.1
won	wWaitOn	0.1

cClassId	Clase	Versión
wpg	<a href="#">tWebPage</a>	0.1

## Controles AddOn

cClassId	Clase	Versión
gcp	<a href="#">GChartPie</a>	0.1

## Controles Contrib

cClassId	Clase	Versión
chart	<a href="#">wChart</a>	0.1

From:

<https://www.nefele.dev/wiki/> - **Nefele Project**

Permanent link:

<https://www.nefele.dev/wiki/propiedades/cclassid?rev=1649614291>

Last update: **10/04/2022 18:11**

